# 0 S H go H

Dosing for infants and children from your healthcare professional



# IMPORTANT INSTRUCTIONS FOR PROPER USE

All infants' TYLENOL® and Children's TYLENOL® products have the same strength of acetaminophen: **160 mg** (in each 5 mL or tablet).

Today's date:

This dosing recommendation from your healthcare professional will expire in 14 DAYS.

- Always read and follow the label on all TYLENOL\* products.
- Repeat dose every 4 hours while symptoms last
- Do NOT give more than 5 doses in 24 hours.

Use only the dosing device

Do NOT use with any other product containing (syringe or dosing cup) that came with the product. Do not use any other dosing device

This dosing recommendation from your healthcare professional will expire in **14 DAYS**.

Always read and follow the label on all MOTRIN products.

TYLENOL .

AGE

2-3 years 24-35 lbs

4-5 years

6-8 years 48-59 lbs

9-10 years

11 years

60-71 lbs

72-95 lbs

howables -

DOSE

1 tablet

11/2 tablets

2 tablets

2½ tablets

3 tablets

**AVAILABLE!** 

WEIGHT

36-47 lbs

- as needed. Repeat dose every 6-8 hours
- Do NOT give more than 4 doses in 24 hours
- Use only the dosing device (syringe or dosing cup) that came with the product. Do not use any other dosing device.

Be sure to keep TYLENOL® and MOTRIN® for pain and fever relief that's on hand

Always Cal



## Dosing On Call

Dosing for infants and children from your healthcare professional



## IMPORTANT INSTRUCTIONS FOR PROPER USE

Today's date:

This dosing recommendation from your healthcare professional will expire in **14 DAYS**.

- Always read and follow the label on all TYLENOL\* products.
- Repeat dose every 4 hours while symptoms last.
- Do NOT give more than
  5 doses in 24 hours.
- Do NOT use with any other product containing acetaminophen.
- Use only the dosing device (syringe or dosing cup) that came with the product. Do not use any other dosing device.

Rely on TYLENOL® and MOTRIN®, the two brands of pain and fever relievers that pediatricians recommend most<sup>†</sup>

# Always On Call

†Among over-the-counter analgesic/fever reducers in the US © Johnson & Johnson Consumer Inc. 2019 • CTCM-0497-2