

Pediatric Associates
645 N. Arlington Ave Suite 620
Reno, Nevada 89503
775-329-2525

2 MO WELL CHILD VISIT

DATE _____ WT _____ HT _____ HC _____

DIET

- Maximum formula intake is around 32oz/day
- giving the baby an occasional bottle once daily may help the transition from nursing
- no need for solids now, solid food is started between 4 and 6mo

DEVELOPMENT

- coos, gives social smile
- grasps a rattle
- regards face and begins to respond more to parents than to others
- follows moving person with his/her eyes; no more crossing of eyes
- hears well; human voices and singing important for language development
- play with, hold and talk to baby; may be done during routine caregiving such as diapering or bathing
- allow baby to lie on stomach when awake only; excellent for head control and motor development
- be aware that infant personalities differ

GUIDANCE

- treat nasal stuffiness with a bulb syringe and salt water drops; vaporizers help also
- to get baby to sleep through the night, daytime play and stimulation plus a regular, consistent bedtime routine are most helpful
- minimize middle-of-the-night feedings after three months; gradually decrease the amount of milk given in the nighttime feeding
- allow baby to fuss for gradually longer periods of time before tending to baby to give him a chance to learn to sooth self

SAFETY

- use rear facing car seat
- don't hold baby when drinking hot liquids or cooking
- provide toys that are unbreakable and too large to swallow with no sharp edges or detachable parts
- be careful of sun exposure
- never leave baby unattended on bed or changing table
- baby should sleep on back only**
- TAKE CPR CLASS
- NO SMOKING

SOCIAL

- normal for this period are issues such as marital readjustment, sibling rivalry if applicable, involving father in feeding, choosing child care providers

HOW TO FEED YOUR BABY STEP-BY-STEP

Every baby is very special. Don't worry if your baby eats a little more or less than this guide suggests. In fact, this is perfectly normal. The suggested serving sizes are only guidelines to help you get started.

AGE	FOOD GROUP	FOODS	DAILY SERVINGS	SUGGESTED SERVING SIZE	FEEDING TIPS	
0-4 Months	Milk	Breast Milk or	On demand		<ul style="list-style-type: none"> Nurse as long and as often as your baby wants - every 1-1/2 to 2 hours is okay. Nurse baby at least 10-20 minutes on each breast. Six wet diapers a day is a good sign that your baby is getting enough to eat. There's no need to force your baby to finish a bottle. Putting baby to bed with a bottle can cause choking and baby bottle tooth decay. Heating formula in the microwave is not recommended as milk may heat unevenly and burn baby's mouth. 	
		Formula*				
		0-1 months	6-8	2-5 ounces		
		1-2 months	5-7	3-6 ounces		
2-3 months	4-7	4-7 ounces				
3-4 months	4-6	6-8 ounces				
4-6 Months	Milk	Breast milk or	On demand		<ul style="list-style-type: none"> Breast milk or formula has all the nutrition your baby needs and will satisfy your baby longer than cereal. Start iron-fortified baby cereal by spoon when baby shows these signs of readiness: SITS WITH SUPPORT OPENS MOUTH WHEN FOOD IS OFFERED ABLE TO MOVE SEMI-SOLID FOOD FROM THE FRONT OF TONGUE TO THE BACK 	
	Formula*	4-6	6-8 ounces			
	Grain	Baby cereal (iron-fortified)	2	1-2 tablespoons	<ul style="list-style-type: none"> Introduce only one new cereal each week. 	
6-8 Months	Milk	Breast milk or Formula*	On demand	3-5	6-8 ounces	<ul style="list-style-type: none"> Add strained vegetables and fruits first, then add cooked vegetables and mashed or finely chopped fruits later. Feed only one new fruit or vegetable each week. When using food from a jar, remove amount for one feeding and refrigerate the unused portion. Try giving 100% fruit juice in a cup. Juice in the bottle may cause tooth decay. Add strained meats now. Feed only one new meat each week.
	Grain	Baby cereal (iron-fortified)	2	2-3 tablespoons		
		Bread or Crackers	Offer	1/4 slice or 2 crackers		
	Fruit	Fruit	2	2-3 tablespoons		
		Fruit Juice	1	3 ounces (from cup)		
Vegetable	Vegetables	2	2-3 tablespoons			
Meat	Chicken, Beef, Pork	1	1-2 tablespoons			

*If you are bottle feeding, most doctors recommend iron-fortified formula. Ask your doctor which formula is best for your baby.

AGE	FOOD GROUP	FOODS	DAILY SERVINGS	SUGGESTED SERVING SIZE	FEEDING TIPS
8-12 Months	Milk	Breast Milk or Formula*	On demand		<ul style="list-style-type: none"> • Wait until baby's first birthday to feed egg whites. Some babies are sensitive to the egg white. It's okay to give baby cooked yolks. • Offer fresh fruit and cooked vegetables in bite size portions. Some fruits may need to be peeled (apples, pears). • Be patient. Babies are messy when they feed themselves. • Always taste heated foods before serving them to baby to make sure they are not too hot. • Continue to offer beverages in a cup. • Offer finger foods to encourage self-feeding. • Let baby use a spoon for self-feeding.
		Cheese Plain yogurt Cottage cheese	3-4	6-8 ounces 1/2 ounce	
	Grain	Baby cereal (iron-fortified)	2-3	2-4 tablespoons	
		Bread or Crackers	1-2	1/4 slice or 2 crackers	
	Fruit	Fruit Fruit juice	2 1	3-4 tablespoons up to 4 ounces (from cup)	
Vegetable	Vegetables	2	3-4 tablespoons		
12-24 Months	Milk	Breast Milk or *Whole milk, yogurt	On demand		<ul style="list-style-type: none"> * Children at risk of being overweight or who have a family history of obesity, heart disease or high cholesterol, should be given 2% reduced fat milk instead of whole milk. • Continue breastfeeding, if desired, but also offer whole milk in a cup. • If formula feeding, change to whole milk now. • Offer small portions. Never force your toddler to eat. • Try to avoid power struggles over food by respecting your toddler's likes and dislikes. Offer rejected foods at another time. • Make meals fun and interesting. Serve colorful foods that are crunchy, smooth, or warm. • Toddlers need three meals and 2-3 snacks every day. Do your best to offer meals and snacks at about the same time each day. • Wean baby from a bottle to a cup.
		Cheese Cottage cheese	4	1/2 cup 1/2 ounce 1/4 cup	
	Grain	Cereal, pasta or rice Bread, muffins, rolls Crackers	4-5	1/4 cup 1/4 2 crackers	
		Fruit	Fruit Fruit juice	2	
	Vegetable	Vegetables, fresh or cooked	4-5	1/4 cup (cooked) 1/2 cup (fresh)	
Meat	Fish, chicken, turkey, beef, pork Cooked beans or peas Egg	3-4	1/2-1 ounce 2 tablespoons 1		